04/06/00

"Express Mail" Mailing Label No. <u>EK 688 395 443 US</u> Date of Deposit <u>April 6, 2000</u>

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above, with sufficient postage affixed, and is addressed to BOX PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231.

Jason Shinazy

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

09/545034

Patent Attorney's Docket No. <u>P2512\560</u>

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UTILITY PATENT APPLICATION TRANSMITTAL LETTER

BOX PATENT APPLICATION

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Enclosed for filing is the utility patent application of <u>Eduardo Cue</u>, <u>Shaun Hilton</u>, <u>Glenn D</u>. <u>Epis</u>, <u>Judy D</u>. <u>Halchin</u>, <u>Susan Pfandt and Cathy Ridenour</u> for <u>CUSTOM STORES</u>.

Also enclosed are:

[X]	Nine sheet(s) of [] formal [X] informal drawing(s);
[]	a claim for foreign priority under 35 U.S.C. §§ 119 and/or 365 is [] hereby made to _ filed in _ on _; [] in the declaration;
[]	a certified copy of the priority document;
[]	a General Authorization for Petitions for Extensions of Time and Payment of Fees;
[]	statement(s) claiming small entity status;
[]	an Assignment document;
[]	an Information Disclosure Statement; and
гэ	Othorn



[X]	An [X] executed [unexecuted declaration of the inventor(s				
	[X] also is enclosed	[] will follow.				

- [] Please amend the specification by inserting before the first line the sentence --This application claims priority under 35 U.S.C. §§119 and/or 365 to _ filed in _ on _; the entire content of which is hereby incorporated by reference.--
- [] A bibliographic data entry sheet is enclosed.
- [X] The filing fee has been calculated as follows [] and in accordance with the enclosed preliminary amendment:

CLAIMS						
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEE	
Basic Application Fee						
Total Claims	72	MINUS 20 =	52	x \$18.00 (103)	936.00	
Independent Claims	4	MINUS 3 =	1	x \$78.00 (102)	78.00	
If multiple dep	endent claims	are presented, add	\$260.00 (104)			
Total Applicat	ion Fee				1,704.00	
If verified Stat Total Applicat		small entity statu	s is enclosed, sul	btract 50% of		
Add Assignme	ent Recording F	Fee \$40.00 (581) is	f Assignment doo	cument is	entakoksak kinosi chinosik ar dinassini sa keksakan sameka akondan	
TOTAL APPLICATION FEE DUE						

	This application is being filed without a filing fee. Parts of Application is respectfully requested.	Issuance of a Notice to File Missing
F 3 Z1	A start in the amount of \$ 1.704.00 is enclose	d for the fee due

[X]	A check in the amount	of \$ _	1,704.00	is enclosed	for	the	fee	due.
-----	-----------------------	---------	----------	-------------	-----	-----	-----	------

[]	Charge \$	to Deposit Account No.	02-4800 for	the fee due
----	-----------	------------------------	-------------	-------------

[[]X] The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17 and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in duplicate.

Please address all correspondence concerning the present application to:

James W. Peterson Burns, Doane, Swecker & Mathis, L.L.P. P.O. Box 1404 Alexandria, Virginia 22313-1404.

Respectfully submitted,

By:

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date: April 6, 2000

Joseph P. O'Malley Registration No. 36,226

P.O. Box 1404 Alexandria, Virginia 22313-1404 (650) 622-2300 "Express Mail" Mailing Label No. <u>EK 688 395 443 US</u> Date of Deposit <u>April 6, 2000</u>

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above, with sufficient postage affixed, and is addressed to BOX PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231.

Jason Shinazy

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

PATENT Atty Dkt. No. 001580-560 Client Ref. No. P2512

CUSTOM STORES

Background of the Invention

The present invention relates to electronic commerce sites, especially electronic commerce sites designed for the use of members of a group.

Recently, with the expansion of the Internet, electronic commerce sites have become a powerful new way to buy and sell products. Typically, a consumer goes to a vender's web site, selects a desired product, and purchases it using a credit card. The credit card information is usually encrypted in its transfer across the Internet to provide security. Upon verifying the credit-card information, the product(s) selected by the consumer are mailed from the vendor's warehouse to the consumer.

Typically, electronic commerce sites are arranged as server systems. A web server receives requests from a client computer. The web server is associated with an application server that runs applications for the web server. Databases at the server system are used to store the item data including prices for the products on sale.

5

10

10

15

20

It is desired to have an electronic commerce site especially tailored for certain groups. For example, in some situations it is useful to have an electronic commerce site for students of a specific university.

One way to set up such a customized site is to have a designer produce a custom web site for each group. This can be quite time consuming if the number of custom sites is large. Additionally, consistency between the main store site and each custom store site becomes a significant problem as the number of custom sites increases. This is especially the case for electronic commerce sites in which prices and available products change constantly. For example, computer vendor web sites have component prices and availabilities that change daily.

It is desired to have an improved way of providing a custom store for an electronic commerce site.

Summary of the Present Invention

One embodiment of the present invention is a system in which an external administrator associated with a group produces configuration data for an electronic commerce custom web site. The configuration data is stored in a database for a server system. The configuration data produced by the administrator and stored in the database is used to create the custom store web site. Since an external administrator produces the configuration data, the internal vendor cost required to produce the custom store web site is minimized.

In a preferred embodiment, the custom store site is a modification of a main electronic commerce store site. The configuration data produced by the external administrator can include bundles of products to be sold, the blocking of certain products from being purchased, and other configurations.

In one embodiment, the server system also includes instantiation software for setting up the custom web page. Typically, the vendor sets up an instance of a custom store which can then be modified by the external administrator with the custom configuration data. The setup information includes discount schedule,

10

15

custom store I.D., and the like. In one embodiment, once a custom store is instantiated, the external administrator is supplied with a universal resource locator (URL) for an administrative site that allows for the creation of the configuration data for the custom site.

In one embodiment, reconciliation software at the server system is used to examine the product bundles created at a custom site to check for obsolete products and produce electronic mail messages to the external administrator requiring changes or suggesting upgrades for the bundles of products.

Another embodiment of the present invention is a server system adapted to produce a custom web store page for a vendor. The custom web store page is associated with and for the use of a group other than the vendor. A custom store web page is constructed using data from a database. An external computer operatively connected to the server system is also used. This external computer is associated with the custom store administrator for the group. The external computer is adapted to provide configuration data to the server system. The server system is adapted to use configuration data to arrange a portion of the custom store web page for the use of group members. The configuration data is stored in the database.

Yet another embodiment of the present invention concerns a computer-readable media containing a program that executes the following procedure. As a result of web page configuration data sent from an external computer, storing configuration data in a database. The external computer is associated with a custom store administrator for a group other than the vendor. The configuration data is usable to arrange a portion of the vendor's custom store web page for the use of the group members. The program also executes the step of producing the custom store web page for a group member. The custom store web page being constructed using data from the database. The data including the configuration data.

25

Still another embodiment of the present invention comprises an apparatus including means for receiving configuration data sent from an external computer and for storing the configuration data in a database. The external computer is associated with a custom store administrator for a group other than the vendor.

The configuration data is usable to arrange at least a portion of the vendor's custom store web page for the use of group members. The apparatus also includes means for producing the custom store web page for a group member, the custom store web page being constructed using data from the database which includes configuration data.

Brief Description of the Figures

Fig. 1 is a diagram that illustrates a server system of one embodiment of the present invention.

Figs. 2A and 2B are diagrams that illustrates the operation of the database in the construction of the custom store web site for embodiment of the present invention.

Fig. 3 is a diagram that illustrates the operation of one embodiment of the present invention for creating and using a custom store web site.

Fig. 4 is a diagram that illustrates a security feature of one embodiment of the present invention.

Fig. 5 is a diagram that illustrates one embodiment of the database structure for the custom store of the present invention.

Fig. 6 illustrates a web page for the external administrator to produce the configuration data for creating a custom store web site according to one embodiment of the present invention.

Fig. 7 is a diagram of a web page illustrating the front page of a custom store application of one embodiment of the present invention.

Fig. 8 is a diagram of a web page illustrating a recommended system page of one embodiment of the present invention.

15

20

25

10

10

15

20

Detailed Description of the Preferred Embodiment

Fig. 1 illustrates a server system 20 which can be used to produce a custom store of the present invention. The server system in this embodiment includes a web server 22, an application server(s) 24, and a database 26. The application server 24 includes a number of software applications which aid in the construction of the custom store. A firewall (not shown) between web server 22 and application server 24 limits access from the outside world into the internal computer systems. The web server 22 sends requests to the application server 24 which are used in the construction of web sites. In a preferred embodiment, the custom stores are dynamically created using data stored in database 26. This allows for discounts, price changes, and external administrator configuration changes to be quickly and easily implemented. The web server 22 preferably interfaces with the application server 24 using a protocol such as the Common Gateway Interface (GCI) protocol. The application server 24 can include a number of conventional electronic commerce applications 30. In addition to the convention applications, additional applications which aid in the construction of the custom store are also used. For example, a number of custom store applications 32 and 34 are used. Each of these custom store applications can be used for a specific type of custom store. For example, custom store application A 32 produces custom stores for university students, while custom store application B 34 produces custom stores for institutional purchasers. Each custom store application is used for the dynamic production of a number of different custom web sites.

When a group member at computer 36 uses a browser to go to a custom store, custom store application creates the custom store. The custom store application preferably uses data in database 26 to construct the custom store. Preferably, a store I.D. number is included in the URL sent from the customer computer 36. The custom store application uses this I.D. number to create the correct custom web site.

10

15

20

25

The instantiation application 38 is used to set up a custom store. Instantiation data, including the store I.D. and the discount tier for the custom store is stored in the database. Additionally, a URL can be sent to the external custom store administrator using the custom store administrator computer 40. The URL allows the external administrator access to the administration application 42. The administration application 42 allows the administrator to interface with the server system to create the configuration data for the web site data stored in the database 26. As will be described in more detail below, the configuration data can include virtual bundles of products which are recommended to be purchased by the members of the group, as well as the blocking of certain products from purchase at the custom web site.

The reconciliation application 47 examines the configuration data to see if any changes need to be made to the custom store. For example, if a product in a virtual bundle of products becomes obsolete, notification of the need to change the bundle is created. The reconciliation application 47 preferably does such a check overnight and then creates notification E-mails to the external administrators who then make changes to the suggested products sold at the custom web sites. The reconciliation application 47 sends the information using the mail server 44.

The database 26 includes the data used to create the custom store. The template data 46 includes the base prices, basic display information for the main electronic commerce site, discount tiers and the like. The custom store data 48 includes instantiation data 50 as well as configuration or administration data 52 which is controlled by the external administrator of the custom store.

The server system 20 is connected through the Internet 54 to external computers including customer computer 36 and administrator computer 40. In one embodiment, multiple application servers run the system of the present invention. Alternatively, different software applications can be located on different application servers in one server system.

Internal direct connections (not shown) to the application server 24 can also be used. These direct connections can be used for the operation of the instantiation application 38 as well as to provide internal access to the custom web pages to internal telephone agents.

5

10

15

Fig. 2A illustrates an example of one arrangement of the data in the database and the creation of a custom store web site using this database. In this example, custom store application 60 receives a custom web store request including an ID "54" identifying the custom store. The custom store application 60 checks the instantiation data 62 to see which custom store has the ID "54". In this example, the University of X has the ID "54". Next, the University of X custom store administration data 64 is checked to see which products should be displayed on the custom store web page. In this example, an iMac 400 MHZ processor with an iSub speaker system is a suggested product. The custom store application 60 then checks the product grouping list 66 to determine that the iMac 400 MHZ processor is in the product grouping "iMac" and the iSub speaker system is in the product grouping "Accessories." The University of X is in the discount tier "C". The discount tier data 68 is checked to determine that iMacs have a two-percent discount and accessories have a three-percent discount for tier C sites. The base price data 70 is checked to determine that the iMac 400 MHZ processor has a base price of \$1,500 and the iSub speaker system has a base price of \$100. Next the custom store application 60 calculates the discount price (\$1,567) to display in the custom web site.

25

20

The system shown in Fig. 2A separates the base price data 70 from the custom store data. This allows the discount custom web site prices to be automatically modified when the base price data is changed. The base price data 70 can be used by main store application 72. The reconciliation application 76 checks the changes to the product grouping 66 (or uses some other signal indicative of a change to the product line) against the data in the individual custom store data 64 and 65. For example, if the iSub speaker system is deleted from the

product line, the reconciliation application 76 determines that the University of X has that product in a suggested system and sends an E-mail to the custom store administrator for the University of X to have the custom store administrator modify the suggested products. The operation of the reconciliation application 76 can thus be done automatically without requiring updating by employees.

In one embodiment, the reconciliation application 76 can also suggest upgrades to the virtual bundles. For example, if the bundle was created a while ago, upgrade suggestions can be made to upgrade the suggested products in the bundle even when the products have not been deleted from the product list.

The instantiation application 80 is used to produce the instantiation data 62. This instantiation data can include the custom store I.D., discount tier I.D., and other setup data. The University of X custom store administrator 82 produces the University of X custom store administration data including the suggested products, blocked products, display configuration information, and other configuration data.

Fig. 2A illustrates the data as text strings but in a preferred embodiment the data is stored in the database in an optimized manner that speeds the creation of the custom store web pages.

Fig. 2B illustrates an alternate embodiment of the present invention. In this alternate embodiment, the reconciliation application 83 includes both a product reconciliation module 83a and a price reconciliation module 83b. In this embodiment, the discounted price for the suggested system is stored in the custom store data 64'. Periodically, the price reconciliation module 83b recalculates the discount prices for each suggested system for each of the custom stores. When the user goes to a custom store, the store discount price data can then be quickly displayed to the user. This speeds up the construction of the custom store display. Additionally, a recalculation of the correct discount price can be done when a user purchases a suggested system.

Fig. 3 is a diagram that illustrates the operation of one embodiment of the present invention. In block 100, the vendor sets up a new custom store using the

15

10

5

20

10

15

20

25

instantiation application. This causes the database in the server system 101 to be changed. The administration URL is provided to the external administrator in step 102. In step 104, the external administrator uses the URL to go to an administration page created by the server system 101. The administrative page preferably includes a log-in system to authenticate the external administrator. An example of an administration page is discussed below with respect to Figs. 6A and 6B. In step 106, the administrator selects virtual bundles of products to sell at the custom store and blocks purchase of other products. Upon the publishing of the changes, data in the database is modified.

A user goes to a secure page run by the external organization or group in step 108. The user can select and go to the custom store page in step 110. The use of the secure page run by the external organization is described in detail below with respect to Fig. 4. This step adds security to the operation of the present invention. In step 110, the correct custom web page is created. In step 112, the user selects the products or virtual bundles and purchases them from the custom store.

In step 114, the reconciliation application checks the custom stores for obsolete product listings. A notification E-mail sent to the administrator in step 116 and the administrator can modify the selections and virtual bundles to remove obsolete products from the custom store.

Fig. 4 illustrates one example of a security system used with the present invention. In this example, a customer goes to a home page 120 of the University, such as the University of X. The customer types in an I.D. and password provided by the University so that the customer can go to a secure page 122. From the secure student page 122, the customer can go to the custom store page 124. The custom store application checks the referer header field of the HyperText Transfer Protocol (HTTP) header that indicates the URL of the location from which a URL request is sent. Alternately, some portion of the entire URL, such as the host name, could be used. The custom store application

10

15

20

25

for the custom store 124 checks the referrer field of the HTTP header before allowing a display of the custom store data 124. The URL for the customer store includes a custom store I.D. The custom store application can then check the referer field of the HTTP header for that custom store I.D. In this example, the correct referer field value indicates the secure student's page 122. If the correct referrer header is not given, the custom store information is not sent to the user. In this embodiment, only the members of the group are allowed access to the custom store page. This is useful if discounts are provided at the custom store.

An advantage of the system of Fig. 4 is that the vendor server need not keep a list of the I.D.s and passwords for each of the group members. The maintenance and control of the I.D.s and passwords is done by the group itself. This reduces the data requirements at the vendor server, as well as significantly reducing the maintenance requirements for the custom stores. For example, it would be difficult for the vendor if the custom store application was required to maintain a list of I.D.s and passwords for each member of each group, especially considering the level of turnover in groups such as university students. Avoiding such I.D. and password maintenance is a significant advantage.

Looking at Fig. 4, even if the URL for the custom store becomes known, someone at another web page 126 would not be able to go to the custom store because the referer field value is not correct.

Fig. 5 illustrates one example of a data structure for use with the present invention. As shown in Fig. 5, the data for the custom store in block 130 includes a customer number, a database I.D., an "Is Active" field, an "Is High Security" field (the "Is High Security" field indicates whether the custom web store implements the security shown in Fig. 4). Also shown is a name field (for example the University of X), a pricing tier I.D. (for example, tier C), and a referrer URL field used in the scheme of Fig. 4, the store type I.D. which indicates the general type of the store (such as a university custom web page or institutional custom web page, K-12 web page, consumer group web page, or the

like). Each different store type I.D. can be used to set up a different type of custom store.

The custom store also includes recommended systems data in block 132. Block 22 includes the "Can Be Configured" field that determines whether a bundle can be modified by the group member or must be chosen in a "take it or leave it" fashion. A description field includes a description of the recommended system that can be input by the administrator. The "Display Order" field provides a number that indicates the order in which the recommended system is displayed on the recommended systems display page. The Main Product I.D. is an indication of the main product in the bundle. The "Needs Attention" field is set by the reconciliation application when a product in a bundle becomes obsolete.

The recommended system includes a number of recommended system products, each having a block 136. These include the part number, recommended system I.D., "Needs Attention" field, and the like. Also a number of options in the "Option" field 134 are associated with each of the system products. Note that block 138 for the custom store institution can refer to a number of different custom stores for that institution. Alternately, more than one institution can be associated with one custom store. The custom store block 130 can also include a Family Selection block 140. The custom store block 130 also includes indications which point to data for different discounts which can be implemented as Pricing Group Discount block 142 and Pricing Tier block 144.

In one embodiment, database structure is set up with pointers which refer to the different data elements. By using pointers, the discounted values of the products need not be stored as a value but merely as pointers to the discount tiers and to the main price data. Alternately, the discount price data can be stored in the custom store data as shown in Fig. 2B.

Fig. 6 illustrates an example of an external administrator web page which allows for the easy creation of the configuration data for the custom store web pages. In this example, the web page lists a number of different arrangements,

20

25

5

10

10

15

20

25

each arrangement including a system description 120 that allows the administrator to type in a description title, display order 122 which allows the administrator to set the order of the display of the recommended systems, a product info URL 124 which allows for use of the customized web page to describes the recommended system, a "can be configured" box 126 indicates whether the system configuration can be modified by the purchaser. Also an "Edit" button 130 allows the administrator to modify the elements in the recommended system. Elements can be added or subtracted from the recommended system. A "Delete" button 132 allows the entire recommended system to be removed. The page shown also includes an "Add New System" button 138 which allows the creation of a new recommended system. The "Add New System" page (not shown) includes a list of different products which can be selected to create the recommended systems (virtual bundles). The system also includes a preview of the recommended system page in which a mock-up of the system page in the custom store is shown to the administrator. Once the configuration is suitable, the administrator publishes the changes to the custom store using the "Publish" option in the web page.

Fig. 7 illustrates an example of a front page for a custom store web site. In one embodiment, the front page generally follows the arrangement of the main store web site. The administrator can block from purchase some of the displayed products. For example, some administrators may want to prevent group members from purchasing iBooks. A recommended systems icon allows the user to go to the recommended systems page.

Fig. 8 shows a recommended systems page. The recommended system page is arranged by the external administrator. Group members can select virtual bundles chosen by the external administrator from the recommended systems page.

Virtual bundles are described in more detail in the patent application "Virtual Bundles," Serial Number ______, corresponding to Attorney Docket No. 001580-561, filed on the same day as the present application and incorporated herein by reference.

The foregoing has described the principles, preferred embodiments and modes of operation of the present invention. However, the invention should not be construed as limited to the particular embodiments discussed. Instead, the above described embodiments should be regarded as illustrative rather than restrictive, and it should be appreciated that variations may be made in the embodiments by workers skilled in the art without departing from the scope of the present invention as defined by the following claims.

Claims:

1. A system comprising:

a server system adapted to produce a custom-store web page for a vendor, the custom-store web page being associated with and for the use of a group other than the vendor, the custom-store web page being constructed using data from a database; and

a custom-store-administrator computer operably connectable to the server system, the custom-store-administrator computer being associated with a custom-store administrator for the group, wherein the custom-store-administrator computer is adapted to provide configuration data to the server system, the server system being adapted to use the configuration data to arrange at least a portion of the custom-store web page for the use of group members, the configuration data being stored in the database.

- 2. The system of Claim 1, wherein the server system produces multiple custom web pages for the use of different groups.
- 3. The system of Claim 1, wherein the configuration data is stored in the database in a different form than the configuration database that is received by the server system from the custom-store-administrator computer.
- 4. The system of Claim 1, wherein the server system produces an administration web page for the use of an external administrator to modify the custom pages and produce the configuration data.
- 5. The system of Claim 4, in which the modifications are done without vendor input.

- 6. The system of Claim 4, in which the modifications to the custom page are done automatically.
- 7. The system of Claim 1, wherein the configuration data allows the creation of virtual bundles of products for purchase from the custom web page.
- 8. The system of Claim 1, wherein the configuration data allows the prevention of the selection of certain products by group members from the custom web page.
- 9. The system of Claim 1, wherein the configuration data affects the product display.
- 10. The system of Claim 9, wherein the configuration date affects the custom store web page product display order.
- 11. The system of Claim 12, wherein the custom store is based upon the main store.
- 12. The system of Claim 11, wherein the custom web page uses data and images from the main web store.
- 13. The system of Claim 11, wherein the custom store web page has a similar look and feel to the main web store.
- 14. The system of Claim 1, further comprising instantiation software used to set up the custom web page.

- 15. The system of Claim 1, wherein the custom store web software at the server system constructs a specific custom store using custom store I.D. information in the URL sent from a group member.
- 16. The system of Claim 15, wherein the custom store software at the server system checks the referrer URL to determine that the user is coming from the correct secure location.
 - 17. The system of Claim 1, wherein the group comprises an institution.
- 18. The system of Claim 17, wherein the group comprises a college or university.
- 19. The system of Claim 1, wherein the production of the custom store web page includes dynamically calculating discounts for products.
- 20. The system of Claim 1, wherein the database stores the base prices for products as well as associated discounts.
- 21. The system of Claim 20, wherein the base prices are used for a main store web site.
- 22. The system of Claim 20, in which discount tiers are associated with each custom store web page.
- 23. The system of Claim 1, further comprising reconciliation software at the server system which checks the configurations of the custom store web pages for obsolete products.

- 24. The system of Claim 23, wherein the reconciliation software automatically E-mails notices to the external administrator to notify the external administrator of any obsolete products on the custom store web page.
- 25. The system of Claim 1, wherein the server system comprises a web server and an application server.
- 26. A computer-readable medium containing a program which executes the following procedure:

as a result of web-page configuration data sent from an custom-storeadministrator computer, storing configuration data in a database, the custom-storeadministrator computer being associated with a custom-store administrator for a group other than the vendor, the configuration data being usable to arrange at least a portion of a vendor's custom-store web page for the use of group members; and

producing the custom-store web page for a group member, the custom-store web page being constructed using data from the database, the data including the configuration data .

- 27. The computer-readable medium of claim 26, wherein the program further includes the setting up of multiple customs to a web page for different groups.
- 28. The computer-readable medium of claim 26, further comprising the production of an administration web page that allows the external administrator to modify the custom pages.
- 29. The computer-readable medium of claim 26, wherein the custom store administrator allows the creation of virtual bundles of products for sale using the custom store web page.

- 30. The computer-readable medium of claim 29, wherein the virtual bundles are shown as a recommended system on a main store web page.
- 31. The computer-readable medium of claim 26, wherein the configuration data prevents the selection of certain products by group members at the custom web page.
- 32. The computer-readable medium of claim 26, wherein the configuration data concerns the product display on the custom store web page.
- 33. The computer-readable medium of claim 26, wherein the custom store web page is based upon a main store web page.
- 34. The computer-readable medium of claim 26, further comprising using instantiation software at a server system.
- 35. The computer-readable medium of claim 26, wherein the custom store software constructs the custom store using an I.D. information field in the URL sent by the group member.
- 36. The computer-readable medium of claim 26, further comprising checking a referrer URL before the construction of the custom store web page.
- 37. The computer-readable medium of claim 26, wherein the group comprises an institution.
- 38. The computer-readable medium of claim 26, wherein the construction of the custom store web pages discounts for products is dynamically calculated.

- 39. The computer-readable medium of claim 26, further comprising reviewing the data in the database to determine whether parts which have become obsolete need to be modified at each of the custom stores.
- 40. The computer-readable medium of claim 39, further comprising producing an E-mail notification to the administrator, notifying the administrator of changes that need to be made at the custom store web page.

41. A method comprising:

as a result of web-page configuration data sent from an custom-store-administrator computer,

storing configuration data in a database, the custom-store-administrator computer being associated with a custom-store administrator for a group other than the vendor, the configuration data being usable to arrange at least a portion of a vendor's custom-store web page for the use of group members; and

producing the custom-store web page for a group member, the customstore web page being constructed using data from the database, the data including the configuration data.

- 42. The method of Claim 41, wherein the multiple custom store web pages are created for different groups.
- 43. The method of Claim 41, wherein the configuration data stored in the database is modified from the configuration data produced by the custom-store-administrator computer.
- 44. The method of Claim 41, further comprising producing an administration web page to allow the administrator to modify the custom store web pages.

- 45. The method of Claim 41, wherein the configuration data indicates virtual bundles of products to be sold at the custom store web page.
- 46. The method of Claim 41, wherein the configuration data prevents the selection of certain products by group members at the custom store web page.
- 47. The method of Claim 41, wherein the configuration data affects the product display at the custom store web page.
- 48. The method of Claim 41, wherein the custom store is based upon a main store web page.
- 49. The method of Claim 41, further comprising setting up the custom store web page with instantiation data.
- . 50. The method of Claim 41, wherein the custom store software constructs the custom store using I.D. information in the URL for the custom store.
- 51. The method of Claim 50, wherein the system checks the referrer URL to ensure that the custom store web page is being reached by a secure web page maintained by the group.
 - 52. The method of Claim 41, wherein the group comprises an institution.
- 53. The method of Claim 41, wherein the custom store web pages includes dynamically calculating discounts for products sold at the web page.

- 54. The method of Claim 41, wherein the configuration data for the custom store web page is checked by reconciliation software to determine whether obsolete products are offered at the custom store web page.
- 55. The method of Claim 54, wherein E-mail notifications are sent to the administrator if obsolete products are found at the custom store web page by the reconciliation software.

56. An apparatus comprising:

means for receiving configuration data sent from an custom-store-administrator computer and for storing the configuration data in a database, the custom-store-administrator computer being associated with a custom-store administrator for a group other than the vendor, the configuration data being usable to arrange at least a portion of a vendor's custom-store web page for the use of group members; and

means for producing the custom-store web page for a group member, the custom-store web page being constructed using data from the database, the data including the configuration data.

- 57. The apparatus of Claim 56 wherein multiple custom web stores are created for multiple groups.
- 58. The apparatus of Claim 56 wherein configuration data is stored in the database in a modified form from the configuration data as received by the apparatus.
- 59. The apparatus of Claim 56 wherein the apparatus includes means for creation of an administration web page to allow the external administrator to modify custom pages.

- 60. The apparatus of Claim 56 wherein the configuration data includes data concerning virtual bundles of products which are offered for sale at the custom store web page.
- 61. The apparatus of Claim 56 wherein the configuration data includes data which prevents the selection of products by group members at the custom store web page.
- 62. The apparatus of Claim 56 wherein the configuration data includes data which affects the product display at the custom store web page.
- 63. The apparatus of Claim 56 wherein the custom store web page is based upon a main custom store web page.
- 64. The apparatus of Claim 56 further comprising instantiation means to produce custom store web page data to set up the custom store web page.
- 65. The apparatus of Claim 56 wherein custom store software is used to construct the custom store web page using I.D. information in the URL provided by the group member.
- 66. The apparatus of Claim 65 in which the apparatus checks the referrer URL to determine whether to provide the custom store web page to the user.
- 67. The apparatus of Claim 56 wherein the group comprises an institution.

- 68. The apparatus of Claim 56 wherein the custom store web page includes dynamically calculated discounts for products.
- 69. The apparatus of Claim 56 further comprising reconciliation software to examine the configuration data to determine whether obsolete products are offered at custom store web pages.
- 70. The apparatus of Claim 69 further comprising means to send E-mail notifications to administrators if obsolete products are offered for sale at the custom store web page.
- 71. The apparatus of Claim 56 wherein the apparatus comprises a server system.
- 72. The apparatus of Claim 71 wherein the server system comprises a web server and an application server.

Abstract

A custom store web page uses an external administrator to provide configuration data for a custom store web page. The configuration data can include virtual bundles of products for sale.

FLOURE 1





FIGURE 2 A



FILLARE 2B






FIGURE 3




FIBUSEL



FIGURE

Test Version 17

AppleStore





View Current System Worldwide Help



Recommendations of Denver Public Schools

Zip drive bundle

Power Mac G4 450MHz

\$2,166.00



Science Lab G4

- Power Mac G4

 RAGE 128 Pro card 16M8 SDRAM

 10/100BASE-T Ethernet built-in

 56K internal modem with FAXst1

 DVD-ROM drive with DVD-Video

 10GB Ultra ATA drive

 USB Keyboard

- Accessory kit
 256MB SDRAM 1 DIMM
 400MHz PowerPC G4 1MB L2 cache

\$1,792.00



Macintosh Server G4 with Mac OS

- X Server 512MB SDRAM 2 DIMMs
- Accessory kit
 DVD-ROM drive

- DVD-ROM drive
 36GB Ultra2 SCSI, 2-channel card
 USB Keyboard
 Four-port 10/100 Ethernet PCI card
 RAGE 128 Pro card 18MB SDRAM
 500MHz PowerPC G4 1MB L2 cache
 Ultra SCSI PCI card & cable adapter

\$5,168.00



Type-matched G4

iomega USB Zip Drive Iomega Zip Disk 8-pack

\$188.00



IMac SE

PowerBook • 500MHz PowerPC G3 with 1MB L2

\$3,469.00



G4 Server

IBook 366MHz Special Edition
• 128MB SDRAM - 1 SO DIMM
• CD-ROM drive
• 6GB IDE drive

- Graphite

\$1,836.00



Mike's System

Macintosh Server G4

- Accessory kit
 RAGE 128 Pro card 16MB SDRAM
 10/100BASE-T Ethernet built-in
 DVD-ROM drive with DVD-Video
- DVD-HOM drive with DVD-video
 18GB UITAZ SCSI, 2-channel card
 400MHz PowerPC G4 1MB L2 cache
 Uitra SCSI PCI card & cable adapter
 256MB SDPAM 1 DIMM
 USB Keyboard

More Product Into

\$3,042.00



Display

iBook 356MHz Special Edition
• Graphite
• CD-ROM drive
• 128MB SDRAM - 1 SO DIMM
• 6GB IDE drive

\$1,836.00



Powerbook

iBook 300MHz

- AirPort Card
- Tangerine
 CD-ROM drive
- GGB IDE drive
 128MB SDRAM 1 SO DIMM

\$1,731.00



FIGURE 8

COMBINED DECLARATION AND POWER OF ATTORNET	Y
FOR UTILITY PATENT APPLICATION	

Attorney's Docker No.

FOR UTILITY PATENT APPLICA	ATION	P2512/560
As a below-named inventor, I hereby declare that: My residence, post office address and citizenship are as sta 1 BELIEVE I AM THE ORIGINAL, FIRST AND SOL ORIGINAL, FIRST AND JOINT INVENTOR (if more th WHICH IS CLAIMED AND FOR WHICH A PATENT IS	E INVENTOR (if only on ian one name is listed below	e name is listed below) OR AN v) OF THE SUBJECT MATTER
CUSTOM STORES		
the specification of which	,	
(check one)	·	as (if applicable)
I HAVE REVIEWED AND UNDERSTAND THE CONTINCLUDING THE CLAIMS, AS AMENDED BY ANY A	ents of the above-i Mendment referred	Dentified specification, oto above;
I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE MATERIAL TO PATENTABILITY AS DEFINED IN THE (as amended effective March 16, 1992);	e office all informa The 37, code of pedef	ATION KNOWN TO ME TO BE RAL REGULATIONS, Sec. 1.56
I do not know and do not believe the said invention was ever or our invention thereof, or patented or described in any printereof or more than one year prior to said application; that United States of America more than one year prior to said a made the subject of an inventor's certificate issued before it United States of America on any application filed by me or months prior to said application; I hereby claim foreign priority benefits under Title 35, Unite application(s) for patent or inventor's certificate as indicated application for patent or inventor's certificate on this invent which priority is claimed:	inted publication in any cou- said invention was not in p application; that said inventi- te date of said application in my legal representatives or ed States Code Sec. 119 and I below and have also identi-	ntry before my or our invention ublic use or on sale in the on has not been patented or a sny country foreign to the assigns more than twelve d/or Sec. 365 of any foreign lifted below any foreign
Trainer provery to contract.		

COMBINED DECL	ARATION A	AND POWER	OF ATTORN	IEY	Attorney's Dec	ket No.
COUNTRY/INTERNA	TIONAL	APPLICATION	N NUMBER	1	E OF FILING r, month, year)	PRIDRITY CLAIMED
						YES_ NO_
						YES_ NO_
I hereby appoint the following Trademark Office connect applications directed to said	ed therewith at	d agent(s) to prosect all to file, prosect	ecute said applicate and to trans	ation and act all be	to transact all bus isiness in connec	iness in the Patent and tion with international
William L. Mothis Piston N. Mandros Alan H. Kopecki Samuel C. Miller, III Kenneth B. Leffler Allen R. Buyan Steven M. duBuis Mark Aaker Helene Plotka Workman	17,337 22,124 25,813 27,360 36,025 36,086 35,023 32,667 35,981	James A. LaBarre James W. Petersu William C. Rowh T. Gene Dillahua Partick C. Kenne Bruce J. Boggs, J. Susan E. Hemings Richard Ltu Nancy R. Simon	n 26,00 and 30,80 ly 25,4 32,80 r. 32,30	57 88 23 58 44 49	William H. Benz Peter K. Skiff Richard J. McGra Matthew L. Schne Gerald F. Swiss Michael J. Ure Charles F. Wielan Mark R. Kresloff Edward W. Scott	ider 32,814 \$0,113 33,089 d Tu 33,096
and: Joseph P. O'Malley, Reg. No. 36,226 Address all correspondence to: James W. Peterson BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404						
Address all telephone calls	to: <u>Loseph P. O'</u>	Alexandria, Virg	Sims *5212-140s	1	ar ((650) 622-2300.
I hereby declare that all state and belief are believed to be statements and the like so m. United States Code and that thereon.	e true; and furt hade are punish	her that these state able by fine or im	ments were mad prisonment, or t	le with the	ne knowledge that er Section 1001 o	willful false f Title 18 of the
FULL NAME OF SOLE OR FIRS	T INVENTOR		SIGNATURE	Per		DATE 4/5/00
Eduardo Cue REXIDANCE			Damen	<u> </u>	CITIZANSHIP	415100
1908 Orange Tree Lane, Mountain POST OFFICE ADDRESS	view, California 9	4040			United States of Ame	-cica
1903 Orange Tree Lane, Mountain	view, California 9	4040			,	
full name of second join	T INVENTOR. IF	ANY	SIGNATURE	,	10-6	DATE
Shaun Hilton RESIDENCE			m sh	~		4/5/00
	California 06030				CITIZENSHIP	,, ' '
15065 Fi Camino Sonda, Saratoga, POST OFFICE ADDRESS	Cantornia 200/0				United States of Ame	rrea
15065 El Camino Senda, Sarstogs,	California 95070					
FULL NAME OF THIRD JOINT	inventor, if a	ΝΫ́	SIGNATURE	*******************		DATE
Glenn D. Epis RESIDENCE			カカし	+	Supplies and an inches	4/5/06
	California 04004				CHTZENSHIP	
393 f. Arbot Avenue, Sunnyvale, POST OFFICE ADDRESS	Camonna 94086				United States of Ame	erica
393 E. Arbor Avenue, Sunnyvale,	California 94086					

APR-06-2000 12:13

	=	7
:		7
	Henry,	thirt.
	F	==
	£	1
;	==	1
	-	lien.
:	Britty Harfley Britty H. Harris Charles	
;		
:	=======================================	
;	21 17 12 13 15 14 14 14 14 14 15 18 18 18	===
;	=	7
	6	
	2	==
	12	==

COMBINED DECLARATION AND POWER	Attorney's Docket P2512/560	Na,		
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	SIGNATURE	160	1.	DAYE
Judy D. Halchin	July a	HU.		4/5/00
RESIDENCE			CITIZENSIIIP	
20380 Stevens Creek Boulevard, Apr. #239, Cupertine, California 95014			United States of Ar	merica
POST OFFICE ADDRESS				
20380 Stevens Creek Boulevard, Apr. #239, Capertino, California 95014				
PULL NAME OF FIFTH JOINT INVENTOR, IF ANY	SIGNATURE //	OF	1	DATE
Susan: Pfandt	Busanh.	190	MOCI	4/5/00
RESIDENCE		T	CITIZENSHIP	
2201 The Alameda #24, Saula Clara, California 95050			United States of An	nerica
POST OFFICE ADDRESS				
2201 The Alameds #24 South Clury California 95050		_		
FULL NAME OF SIXTH JOINT INVENTOR, IF ANY	SIGNATHEE			PATE
Cathy Ridenour	tally	Ka	clemour!	4-6-00
Residence	- 1		CITI \$ 5-0514 (P	
137D Union Are Campbel	II. CA 950	vr.	united States	of America
POST OFFICE ADDRESS	(1) 			
137 D. Union Ave Campbel	CAO	500	es.	
1 1919, WILLOW YOU CELLIDOR	ات واب			